

Export1@zealmedipharmaexport.com

TYPICAL CERTIFICATE OF ANALYSIS

Product Name		LOSARTAN POTASSIUM, USP		A.R Number		AR/FP/LPB/12/0018	
Batch Number		LPB/12/018		Date of Release		07/07/2012	
Mfg. Date May -		May - 2012		Retest Date		Apr-2015	
Qty 300.00 Kg		300.00 Kg	Ref STP No.			STP/FP/LP/001/01	
S. No.	Test		Specification		Re	sult	
1.	Description		A White to off white color powder		An	An off white color powder	
2.	Solubility		Freely soluble in water, soluble in isopropyl alcohol, Slightly soluble in acetonitrile		Complies		
3.	Identifica	ation					
	A) By IR		The IR spectrum obtained from the test sample should match with the IR spectrum obtained from the Working Standard.				
,	B) By UV		The UV absorption spectra of the standard solution and the test solution exhibit maxima and minima at the same wave lengths				
	C) Potassium test		A white crystalline precipitate should be produced on addition of Sodium bitartarate TS in neutral conditions, which is soluble in solutions of Alkali hydroxides		Co	omplies	
4.	Water Content by KF (%w/w)		Not more than 0.5% w/w		0.38		
5.			Not more than 0.001%		Le	ss than 0.001	
6.	Limit of Cyclohexane and Isopropyl alcohol						
	Cyclohexane		Not more than 0.1%		N	ot Detected	
	Isopropyl alcohol		Not more than 0.2%		No	t Detected	
	Chromatographic purity		y by HPLC				
7.	Any indi		Not more than 0.2 %		0.0)7	
	Total impurities		Not more than 0.5 %	DINTER	0.2	20	

-		19PROVED		
	Who 07.07.201V	Set 7/7/1	Fiel 07/07/2012	
	Prepared by & Date	Checked by & Date	Approved by & Date	

QA-F-028-00

Page 1 of 2

Ref SOP : QA-012 Effective: 01/01/2011

Note: This is a copy of original CoA provided for reference and approval only



Export1@zealmedipharmaexport.com

TYPICAL CERTIFICATE OF ANALYSIS

Product Name Batch Number Mfg. Date Qty		LOSARTAN POTASSIUM, USP LPB/12/018 May - 2012 300.00 Kg		A.R Number Date of Release Retest Date Ref STP No.		AR/FP/LPB/12/0018	
						07/07/2012 Apr-2015	
							STP/FP/LP/001/01
						S. No.	Test
8.	(On Anhydrous		Not less than 98.5% and Not more than 101.0%		99.76		
	*Residual solvents by GC						
9.	Toluene		Not more than 890 ppm		Not detected		
	Chloroform		Not more than 60 ppm		Not detected		
	Methanol		Not more than 300 ppm		Not detected		
	Ethyl Acetate		Not more than 5000 ppm		Not detected		
	Acetone		Not more than 5000 ppm		110 ppm		
	1		1		1		

^{*} Additional tests

REMARKS: The product complies as per above specification.



Agishor 07.07.2012	8st 712/12	Hal 07/07/2012
Prepared by & Date	Checked by & Date	Approved by & Date

QA-F-028-00 Page 2 of 2 Ref SOP : QA-012 Effective: 01/01/2011

Note: This is a copy of original CoA provided for reference and approval only