

# Material Safety Data Sheet

Version 3.1

Revision Date 02/10/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : tert-Butyl(chloro)dimethylsilane

CAS Number: 18162-48-6

Brand: LANYACHEM

Supplier: Nanjing Lanya Chemical Co., Ltd.

For information, call: 0086(0) 25 83315620

## 2. HAZARDS IDENTIFICATION

### Emergency Overview

#### OSHA Hazards

Flammable solid, Corrosive

#### GHS Classification

Flammable solids (Category 2)

Acute toxicity, Oral (Category 5)

Skin corrosion (Category 1B)

Serious eye damage (Category 1)

#### GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

- |      |  |
|------|--|
| H228 | Flammable solid                          |
| H303 | May be harmful if swallowed.             |
| H314 | Causes severe skin burns and eye damage. |

Precautionary statement(s)

- |                    |   |
|--------------------|---|
| P210               | Keep away from heat/sparks/open flames/hot surfaces. -No smoking.   |
| P280               | Wear protective gloves/ protective clothing/ eye protection/ face protection.   |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing |
| P310               | Immediately call a POISON CENTER or doctor/ physician.  |

**HMIS Classification**

**Health hazard:3**

**Flammability:3**

**Physical hazards:3**

**NFPA Rating**

**Health hazard: : 3**

**Fire: 3**

**Reactivity Hazard: 3**

**Potential Health Effects**

<b>Inhalation</b>	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.
<b>Skin</b>	May be harmful if absorbed through skin. Causes skin burns.
<b>Eyes</b>	Causes eye burns.
<b>Ingestion</b>	May be harmful if swallowed.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Synonyms : tert-Butyldimethylchlorosilane  
 tert-Butyldimethylsilyl chloride  
 TBDMSCI

Formula : C<sub>6</sub>H<sub>15</sub>ClSi

Molecular Weight : 150.72 g/mol

CAS-No.	EC-No.	Index-No.	Concentration
<b>tert-butylchlorodimethylsilane</b>			
18162-48-6	242-042-4	--	99%

**4. FIRST AID MEASURES**

**General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

**If inhaled**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

**In case of skin contact**

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

**In case of eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

**If swallowed**

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

**5. FIRE-FIGHTING MEASURES****Conditions of flammability**

Flammable in the presence of a source of ignition, through friction or retained heat. Keep away from heat/sparks/open flame/hot surface. No smoking.

**Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Special protective equipment for fire-fighters**

Wear self contained breathing apparatus for fire fighting if necessary.

**Hazardous combustion products**

Hazardous decomposition products formed under fire conditions. -Carbon oxides, Hydrogen chloride gas, silicon oxides

**Further information**

Water hydrolyzes material liberating acidic gas which in contact with metal surfaces can generate flammable and/or explosive hydrogen gas. Use water spray to cool unopened containers.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions**

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Avoid breathing dust.

**Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

**Methods and materials for containment and cleaning up**

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal. Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).

## 7. HANDLING AND STORAGE

### Precautions for safe handling

Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition -No smoking. Take measures to prevent the build up of electrostatic charge.

### Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Hydrolyses readily. Moisture sensitive.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

### Personal protective equipment

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin and body protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Appearance

Form	crystalline
Colour	white

### Safety data

Melting point	86 -89 °C
Boiling point	125 °C
Flash point	22 °C -closed cup
Flammability	The substance or mixture is a flammable solid with the subcategory 2.
Ignition temperature	405 °C
Density	0.870 g/cm <sup>3</sup>
Water solubility	insoluble

## 10. STABILITY AND REACTIVITY

### Chemical stability

May decompose on exposure to moist air or water. Stable under recommended storage conditions.

### Possibility of hazardous reactions

no data available

### Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

### Materials to avoid

Bases, Metals, Oxidizing agents, Alcohols

### Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. -Carbon oxides, Hydrogen chloride gas, silicon oxides

Other decomposition products -no data available

## 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

#### Oral LD50

LD50 Oral -rat -> 2,000 mg/kg

#### Inhalation LC50

no data available

**Dermal LD50**

no data available

**Other information on acute toxicity**

no data available

**Skin corrosion/irritation**

no data available

**Serious eye damage/eye irritation**

no data available

**Respiratory or skin sensitization**

no data available

**Germ cell mutagenicity**

no data available

**Carcinogenicity**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity**

no data available

**Teratogenicity**

no data available

**Specific target organ toxicity -single exposure (Globally Harmonized System)**

no data available

**Specific target organ toxicity -repeated exposure (Globally Harmonized System)**

no data available

**Aspiration hazard**

no data available

**Potential health effects**

<b>Inhalation</b>	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.
<b>Ingestion</b>	May be harmful if swallowed.
<b>Skin</b>	May be harmful if absorbed through skin. Causes skin burns.
<b>Eyes</b>	Causes eye burns.

**Signs and Symptoms of Exposure**

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

**Synergistic effects**

no data available

**Additional Information**

RTECS: VV2000000

**12. ECOLOGICAL INFORMATION****Toxicity**

no data available

**Persistence and degradability**

no data available

**Bioaccumulative potential**

no data available

**Mobility in soil**

no data available

**PBT and vPvB assessment**

no data available

**Other adverse effects**

no data available

**13. DISPOSAL CONSIDERATIONS****Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a

licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

**Contaminated packaging**

Dispose of as unused product.

**14. TRANSPORT INFORMATION****DOT (US)**

UN-Number: 2925 Class: 4.1 (8) Packing group: II

Proper shipping name: Flammable solids, corrosive, organic,  
n.o.s. (tert-butylchlorodimethylsilane)

Marine pollutant: No

Poison Inhalation Hazard: No

**IMDG**

UN-Number: 2925 Class: 4.1 (8) Packing group: II EMS-No: F-A, S-G

Proper shipping name: FLAMMABLE SOLID, CORROSIVE, ORGANIC,  
N.O.S. (tert-butylchlorodimethylsilane)

Marine pollutant: No

**IATA**

UN-Number: 2925 Class: 4.1 (8) Packing group: II

Proper shipping name: Flammable solid, corrosive, organic, n.o.s. (tert-butylchlorodimethylsilane)

**15. REGULATORY INFORMATION****OSHA Hazards**

Flammable solid, Corrosive

**DSL Status**

This product contains the following components listed on the Canadian NDSL list. All other components are on the Canadian DSL list.

	CAS-No.
tert-butylchlorodimethylsilane	18162-48-6

**SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components**

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.





**SARA 311/312 Hazards**

Fire Hazard, Acute Health Hazard

**16. OTHER INFORMATION**

**Further information**

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if the company has been advised of the possibility of such damages.