



## MATERIAL SAFETY DATA SHEET

Supersedes : February, 15, 2008  
Date of Issue : March, 15, 2008

MSDS N°: BP 29/Abelly

### ULTRAMARINE BLUE

#### SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Company Identification:**

**Name:** Abelly Chemical  
**Address:** Longkou industrial park  
Yantai City, Shandong  
**Tel. Number:** +86.15098579466

**FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT:**

**In the continental U.S., call:** 770-338-4990  
**For additional non-emergency information, call:** 770-277-8819

**Product Name:** ULTRAMARINE BLUE

**Synonyms:** No information available  
**Chemical formula:** Not available

#### SECTION 2 - COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name                            | Percent | CAS Number  | RTECS Number |
|--|---------|-------------|--------------|
| Sodium<br>Aluminium<br>Sulfosilica<br>te | 1<br>0  | 574 55-37-5 | -<br>-       |
| Pigment Blue                             | 0       |             | -            |

#### SECTION 3 - HAZARDS IDENTIFICATION

**CAUTION: May be harmful if swallowed or inhaled**



## MATERIAL SAFETY DATA SHEET

Supersedes : February, 15, 2008  
Date of Issue : March, 15, 2008

MSDS N°: BP 29/Abelly

### ULTRAMARINE BLUE

#### **SECTION 3 – HAZARDS IDENTIFICATION (CONTINUED)**

##### **Potential Health Effects**

- 1. Skin:** May cause skin irritation. May cause an allergic reaction in certain individuals.
- 2. Eyes:** May cause eyes irritation.
- 3. Inhalation:** May be harmful if inhaled.
- 4. Ingestion:** May cause gastrointestinal tract irritation with nausea, vomiting and diarrhoea.
- 5. Chronic information:** Prolonged or repeated exposure may cause severe irritation and dermatitis. Repeated inhalation may cause chronic bronchitis.

#### **SECTION 4 – FIRST AID MEASURES**

##### ***SEEK IMMEDIATE MEDICAL ATTENTION FOR ALL CASES OF OVEREXPOSURE***

**Skin:** Immediately wash skin with plenty of soap and water for at least 15 minutes. Remove contaminated clothing and shoes and thoroughly clean before reuse. Seek medical attention.

**Eyes:** Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Seek medical attention.

**Inhalation:** Remove to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention.

**Ingestion:** Never give anything by mouth to an unconscious person. Do not induce vomiting unless directed to do so by a physician.

**Note to Physician:** Treat symptomatically and supportively.



## MATERIAL SAFETY DATA SHEET

Supersedes : February, 15, 2008  
Date of Issue: March, 15, 2008

MSDS N°: BP 29/Abelly

### ULTRAMARINE BLUE

#### **SECTION 5 – FIRE FIGHTING MEASURES**

|   | <b>Ultramarine Blue</b>   |
|---|---|
| <b>Flammability Properties:</b>                 | <b><i>Non combustible. Not considered to be a fire hazard.</i></b>  |
| <b>Flash Point / Method:</b>                    | No information available.   |
| <b>Flammability Limits (in air % by volume)</b> | No information available.   |
| <b>LEL:</b>                                     | No information available.   |
| <b>UEL:</b>                                     | No information available.   |
| <b>Auto ignition Temperature:</b>               | No information available.   |
| <b>Hazardous Combustion Products:</b>           | Sulphur dioxide gas may be released   |
| <b>Extinguishing Media:</b>                     | Water, dry chemical foam, or alcohol-resistant foam.  |
| <b>Firefighting instructions:</b>               | As in any fire, wear full protective clothing and NIOSH- approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode. |

Replaces version dated: ---



## MATERIAL SAFETY DATA SHEET

Supersedes : February, 15, 2008  
Date of Issue: March, 15, 2008

MSDS N°: BP 29/Abelly

### ULTRAMARINE BLUE

---

#### **SECTION 6 – ACCIDENTAL RELEASE MEASURES**

**General Information:** Wear appropriate personal protective equipment as specified in Section 8.

**Spills / Leaks:** Take up and containerize any spills for reclamation or disposal. US CERCLA Regulations require reporting spills and releases to soil, water, and air in excess of reportable quantities.

---

#### **SECTION 7 – HANDLING AND STORAGE PROCEDURES**

**Handling:** Avoid breathing dust. Avoid contact with skin or eyes. Wash thoroughly after handling. Keep container tightly closed. Wear appropriate personal protective equipment as specified in Section 8.

**Storage:** Store in a tightly closed container in a cool, dry location away from incompatible substances.

---

#### **SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Engineering Controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low.

**Respiratory Protection:** A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements for European Standard EN 149 must be followed whenever workplace conditions warrant respirator use.

**Skin Protection:** Wear appropriate protective clothing and gloves to prevent skin exposure.

**Eye Protection:** Wear appropriate protective eyeglasses or chemical safety goggles to prevent eye exposure.

*To be continued*

Replaces version dated: ---



**MATERIAL SAFETY DATA SHEET**

Supersedes : February, 15, 2008  
 Date of Issue: March, 15, 2008

MSDS N°: BP 29/Abelly

**ULTRAMARINE BLUE**

| <b>Exposure Limits: Ultramarine Blue</b>  |              |                         |
|---|--------------|-------------------------|
| <b>ACGIH</b>  | <b>NIOSH</b> | <b>OSHA Final PEL's</b> |
| Ceiling Value < 10 mg/m <sup>3</sup> (8 hours)<br>TWA < 5 mg/m <sup>3</sup> (8 hours) |              |                         |

**SECTION 9 – PHYSICAL / CHEMICAL PROPERTIES**

|                                 |                        |
|---------------------------------|------------------------|
| <b>Physical state</b>           | Solid                  |
| <b>Appearance</b>               | Blue                   |
| <b>Odour</b>                    | Odourless              |
| <b>Ph</b>                       | 7-9 @ 100 g/l solution |
| <b>S Loss</b>                   | 350 °C                 |
| <b>Melting Point</b>            | > 1000 ° C             |
| <b>Vapour Pressure (mm)</b>     | Not applicable         |
| <b>Vapour Density (Air=1)</b>   | Not applicable         |
| <b>Solubility in Water</b>      | Insoluble              |
| <b>Specific Gravity/Density</b> | 2.35 (water = 1)       |

Replaces version dated: ---



## MATERIAL SAFETY DATA SHEET

Supersedes : February, 15, 2008  
Date of Issue: March, 15, 2008

MSDS N°: BP 29/Abelly

### ULTRAMARINE BLUE

---

#### **SECTION 10 – STABILITY AND REACTIVITY DATA**

**Stability:** Stable under normal temperatures and pressures.

**Conditions to Avoid:** Above 350°C sulphur dioxide gas is released.

**Incompatibility:** Hydrogen sulphide may be released in contact with acids.

**Hazardous Decomposition Products:** Sulphur dioxide, hydrogen sulphide

**Hazardous Polymerization:** None

---

#### **SECTION 11 – TOXICOLOGICAL INFORMATION**

**LD<sub>50</sub> (oral)** > 10 g/kg (rats)

**Chronic / Carcinogenicity:** no human carcinogen

**Teratology:** no teratogenic

**Reproduction:** no toxic for reproduction

**Mutagenicity:** no mutagenic

**Other Studies:** no information available

---

#### **SECTION 12 – ECOLOGICAL INFORMATION**

**Environmental Fate:** This material is not expected to biodegrade when released into the soil. This material is not expected to significantly bioaccumulate.

LC<sub>50</sub> (fish) >32000 mg/kg

---

#### **SECTION 13 – DISPOSAL CONSIDERATIONS**

Dispose of containers and contents in accordance with all local, state, and Federal requirements.

---

Replaces version dated: ---



## MATERIAL SAFETY DATA SHEET

Supersedes : February, 15, 2008  
Date of Issue: March, 15, 2008

MSDS N°: BP 29/Abelly

### ULTRAMARINE BLUE

---

#### **SECTION 14 – TRANSPORTATION INFORMATION**

##### **D.O.T**

**Proper Shipping Name:** Not applicable.

**Hazard Class/I.D. No./Packing Group:** Not applicable.

**Label:** Not applicable.

**Additional Information:** Not applicable.

##### **I.M.O./I.M.D.G.**

**Proper Shipping Name:** Not applicable.

**Hazard Class/I.D. No./Packing Group:** Not applicable.

**Label:** Not applicable.

**Additional Information:** Not applicable.

##### **I.C.A.O./I.A.TA.**

**Proper Shipping Name:** Not applicable.

**Hazard Class/I. D. No./Packing Group:** Not applicable.

**Label:** Not applicable.

**Additional Information:** Not applicable.

---

Replaces version dated: ---



## MATERIAL SAFETY DATA SHEET

Supersedes : February, 15, 2008  
Date of Issue: March, 15, 2008

MSDS N°: BP 29/Abelly

### ULTRAMARINE BLUE

#### ***SECTION 15*** – REGULATORY INFORMATION

##### **U.S. FEDERAL REGULATIONS**

**TSCA Section 8 (b):** CAS # 57455-37-5 is listed on TSCA inventory.

**SARA title III Section 302 Extremely Hazardous Substances (EHS):** Since Ultramarine Blues are not EHS and no Threshold Planning Quantity is established, its presence in quantities at or above TPQ does not require any Emergency Planning Notification under 40 CFR Part 355.

**SARA title III Section 304 CERCLA Hazardous Substances:** Releases in quantities equal to or above their Reportable Quantity are not subject to any Emergency Notification, as no reportable quantity is established under 40 CFR Part 302.

**SARA title III Sections 311 / 312:** No reporting (Tier I or Tier II) shall be submitted by the facility under 40 CFR Part 370.

##### Physical Hazards

Fire: None  
Sudden Release of Pressure: None  
Reactivity: None

##### Health Hazards

Immediate (Acute): None  
Delayed (Chronic): None

**SARA title III Section 313 Toxic Chemicals:** No reporting for routine annual toxic chemicals release shall be submitted under 40 CFR Part 372.

***To be continued***

Replaces version dated: ---





## MATERIAL SAFETY DATA SHEET

Supersedes : February, 15, 2008  
Date of Issue: March, 15, 2008

MSDS N°: BP 29/Abelly

### ULTRAMARINE BLUE

#### **FDA**

Ultramarine Blue is cleared in 21 CFR:

- Part 73 under § 73.50 (Colour Additives Approved for Use in Human Food)(Salt intended for animal feed)
- Part 73 under § 73.2725 (Colour Additives Approved for Use in Cosmetics)(Externally applied cosmetics including eye area use)
- Part 178 under §178.3297 (Colorants for Polymers)
- Part 177 under § 177.2600 (Colorants in Rubber Articles intended for repeated Use)

#### **State Regulations**

Ultramarine Blues do not appear on the following state Right to Know lists:

- California Proposition 65
- New Jersey RTK Hazardous Substance List
- Pennsylvania Hazardous Substances List
- Florida Toxic Substance List
- Massachusetts Hazardous Substance List
- Michigan Critical Materials Register
- Minnesota Hazardous Substance List

#### **Others**

- Canadian Environmental Protection Act Domestic Substances List (**DSL**)
- Australian Inventory of Chemical Substances (**AICS**)
- Japan Hygienic Olefin and Styrene Plastic Association (**JHOSPA**)
- CONEG**- Developed Model Toxics in Packaging Legislation

#### **European Directives**

- Directive 94/62/EEC: EU Directive on Packaging and Packaging Waste; comparable to US CONEG Legislation
- Resolution AP 89 (I): use of colorants in plastic materials and articles that may come into contact with foodstuffs.
- Directive 2004/73/EC (last amendment of Dir. 67/548/EEC): Ultramarine Blues are not listed in Annex I (Dangerous Substances)

Replaces version dated: ---



## MATERIAL SAFETY DATA SHEET

---

Supersedes : February, 15, 2008  
Date of Issue: March, 15, 2008

MSDS N°: BP 29/Abelly

### ULTRAMARINE BLUE

---

#### ***SECTION 16*** – OTHER INFORMATION

To the best of our knowledge, the information contained herein is accurate. However, neither Nubiola, Inc. nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The possibility exists that the EU will not recognize this MSDS due to the fact that several components of the MSDS are reflective of ANSI Z-400.1-1998. Although ILO (International Labour Organization) has adopted ANSI Z-400.1-1998, ultimate disposition lies with the competent authority.

---

Replaces version dated: ---