

检 验 报 告 单

CERTIFICATE OF ANALYSIS

OLMESARTAN MEDOXOMIL			
CAS[144689-63-4]			
Batch No	20101102	Manufacture date	Nov.02.2010
Packing	25kg/drum	Re-test date	Nov.01.2012
Quantity	50Kg	Report date	Nov.02.2010

Test Items	Specifications	Results
Appearance	White or almost white crystalline powder	white crystalline powder
Identification		
IR	Must conform to reference standard	Conforms
HPLC	Must conform to reference standard	Conforms
UV	Must conform to reference standard	Conforms
Loss on drying	NMT0.5%	0.10%
Residue On Ignition	NMT0.1%	0.06%
Heavy Metals	NMT0.002%	<0.002%
Related substances		
Individual impurity	NMT0.5%	0.05%
Total impurities	NMT1.0%	0.14%
Residual solvents		
Acetone	NMT0.5%	0.16%
Ethyl acetate	NMT0.5%	Conforms
Dichloromethane	NMT0.06%	Conforms
N,N-Dimethylformamide	NMT0.088%	Conforms
Assay	NLT98.0%	98.7%

Conclusion: It conforms to the in-house specifications.

Analyst:Hou Xingwen

Checker :Chen Weixuan